











Abihoone 2 vineertahvlite spetsifikatsioon

Tahvli nr.	a, mm	b, mm	S, m2	Arv, tk	Sk, m2	tahvlite arv tk
T1	2500	1250	3,1	40	125,0	40
T2	625	1250	0,8	8	6,3	Abihoone 1 T2 tahvid
T3	2500	915	2,3	10	22,9	
T5	2500	335	0,8	10	8,4	10
T4	625	915	0,6	2	1,1	Abihoone 1 T4+T6 tahvid
T6	625	335	0,2	2	0,4	
T7	2500	585	1,5	10	14,6	5
T8	625	585	0,4	2	0,7	1 + (Abihoone 3 käigutee)
			KOKKU		179,4	56+Abihoone 1 tahvid

Vineerdetailid 18-22mm
veekindlast (film)
okaspuu(ehitus)vineerist.

MÄRKUSED:

1. Tahvlite kinnitus terassikruvidega 5,0x100mm,
2. Kruvide samm sarikal max. 250mm.
3. Ümber perimeetri iga kinnitus kahe kruviga (pealmises kihis).
4. Lõikeservad töödelda veekindlaks.

Projekteerija	Endla tn. 3, Tallinn 10122,
ARHITEKTID MURU & PERE OÜ	tel./fax. 6442104 e-mail amp@vamp.ee
Objekti nimi ja aadress	MTR EP 10091593-0001
Jõelähtme vald, Neeme küla, -----	maaüksus
Joonis Abihoone 2 vineertahvlite kujujoonised	Lehe nr.
ja spetsifikatsioon, M 1:25	DET-06