




T1 - 6 no. 1-ply

Weight: 99 kg/ply (+ 16 kg external)


1:95




MiTopW 36x125 48/53%




GNT150S-K 84x221 42%




GNT150S-K 84x221 42%




MiTopW 144x200 21%




GNT100S 103x159 100/98%




MiTopW 60x150 36%



MiTopW 96x200 94/62%



GNT100S 76x159 68%




MiTopW 144x200 88/84%

T7 1-s1, 9-s2	12 no.	45 x 145
	4314	C24
	4314	4314
	4314	4500
T23 s1-5, s2-5	12 no.	45 x 120
	2630	C24
	2570	2630
	2510	2650
B3 s3-15, 10-s3	12 no.	45 x 195
	4126	C24
	4126	4126
	4126	4200
C2 4-6	6 no.	45 x 120
	3514	C24
	3634	3754
	3754	3900
R2 3-11, 7-13	12 no.	45 x 120
	1439	C24
	1379	1439
	1319	1500
E6 10-2, 15-8	12 no.	45 x 120
	373	C24
	433	493
	493	550
S1 12-14	6 no.	45 x 195
	3680	C24
	3680	3680
	3680	3900

FASTENER LOCATION TOLERANCE: 8 mm

T1




S1

Smooth nail 2.8 x 75

45 x 195 C24 - 3680 mm

Single - front




S1

Square nail 2.5 x 65

45 x 195 C24 - 3680 mm

Single - front









Customer











Project no:




T1A - 4 no. 1-ply

Weight: 99 kg/ply (+ 13 kg external) 1:80




T7 1-s1, 9-s2			8 no.	45 x 145
			4314	C24
			4314	4314
			4314	4500
T23 5-s1, 5-s2			8 no.	45 x 120
			2630	C24
			2570	2630
			2510	2650
B3 s3-15, 10-s3			8 no.	45 x 195
			4126	C24
			4126	4126
			4126	4200
C2 4-6			4 no.	45 x 120
			3514	C24
			3634	3754
			3754	3900
R2 3-11, 7-13			8 no.	45 x 120
			1439	C24
			1379	1439
			1319	1500
E6 10-2, 15-8			8 no.	45 x 120
			373	C24
			433	493
			493	550
S3 12-14			4 no.	45 x 195
			3050	C24
			3050	3050
			3050	3100

s1  GNT150S-K 84x22142%	s2  GNT150S-K 84x22142%	s3  MiTopW 144x20062%					
2  GNT100S 103x15997%	3 / 7  MiTopW 60x15036%	4 / 6  MiTopW 96x20072/88%	5  GNT100S 76x15959%	8  GNT100S 103x15993%	10 / 15  MiTopW 144x20088%	11 / 13  MiTopW 36x12554/57%	



T2

Part:1a - 6 no. 1-ply
Part:1b - 1 no. 1-ply
Part:2a - 6 no. 1-ply
Part:2b - 1 no. 1-ply



Weight: 78 kg/ply

1:75


s3	SYM	T6 1-s1, 9-s2	14 no.	45 x 145
			4350	C24
			4350	4350
			4350	4500
		T26 s1-5, s2-5	14 no.	45 x 120
			1083	C24
			1023	1083
			963	1150
MiTopW 168x250	93%	B1 s3-8	7 no.	45 x 195
			5785	C24
			5882	5980
			5980	6000
s2		B10 2-s3	7 no.	45 x 195
			926	C24
			1023	1121
			1121	1150
GNT150S-K 84x221	30%	C1 4-6	7 no.	45 x 145
			1327	C24
			1472	1617
			1617	1650
s1		R1 3-10, 7-11	14 no.	45 x 120
			1530	C24
			1470	1530
			1410	1550
GNT150S-K 84x221	30%			

2 / 8	SYM	3 / 7	SYM	4 / 6	SYM	5	SYM	10 / 11	SYM
GNT100S 103x159	50/45%	MiTopW 60x150	41/36%	GNT100S 76x159	75/64%	GNT100S 76x159	23%	MiTopW 36x125	42/39%

FASTENER LOCATION TOLERANCE: 8 mm

T3

Part:1a - 2 no. 1-ply
Part:1b - 1 no. 1-ply
Part:1c - 1 no. 1-ply
Part:2a - 2 no. 1-ply
Part:2b - 1 no. 1-ply
Part:2c - 1 no. 1-ply



9 / 11 SYM MiTopW 60x150 32/37%	s1 GNT150S-K 84x221 47%	s2 GNT150S-K 84x221 39%	s3 SYM MiTopW 144x200 70%
SYM GNT100S 103x159 80/78%	SYM MiTopW 60x150 33%	SYM MiTopW 108x200 84/70%	SYM GNT100S 76x159 66%


Weight: 96 kg/ply (+ 13 kg external)

1:95

T8 1-s1, 7-s2 8 no. 45 x 145 3410 C24 3483 3555 3555 3600	T24 s1-4, s2-4 8 no. 45 x 120 2594 C24 2534 2594 2474 2650
B2 s3-12 4 no. 45 x 195 5980 C24 5980 5980 5980 6000	B8 8-s3 4 no. 45 x 195 2272 C24 2272 2272 2272 2300
C3 3-5 4 no. 45 x 120 3464 C24 3584 3704 3704 3900	R2 2-9, 6-11 8 no. 45 x 120 1439 C24 1379 1439 1319 1500
E6 8-1, 12-7 8 no. 45 x 120 373 C24 433 493 493 550	S4 10-11 4 no. 45 x 195 2985 C24 2985 2985 2985 3050

FASTENER LOCATION TOLERANCE: 8 mm

T3



S4

Smooth nail 2.8 x 75 45 x 195 C24 - 2985 mm


Single - front



S4

Square nail 2.5 x 65 45 x 195 C24 - 2985 mm



Single - front




T4 - 2 no. 2-ply

Weight: 48 kg/ply


1:45




GNT150S-K 84x221 25%



GNT150S-K 84x221 27%



MiTopW 120x200 87%



MiTopW 120x200 89%

T14 1-s1	4 no.	45 x 145
	1616	C24
	1688	1761
	1761	1800

T17 s2-5	4 no.	45 x 145
	1562	C24
	1635	1707
	1707	1750

T25 s1-3, s2-3	8 no.	45 x 120
	1119	C24
	1059	1119
	999	1150

B6 6-7	4 no.	45 x 195
	3589	C24
	3589	3589
	3589	3900

C5 2-4	4 no.	45 x 120
	1377	C24
	1497	1617
	1617	1650

E3 5-7	4 no.	45 x 120
	1655	C24
	1715	1775
	1775	1800









E4 6-1	4 no.	45 x 120
	1617	C24
	1677	1737
	1737	1800

1	2 / 4	3	5
MiTopW 96x250 84%	MiTopW 60x150 68/65%	GNT100S 76x159 23%	MiTopW 96x250 85%

FASTENER LOCATION TOLERANCE: 8 mm

T5 - 2 no.

1 no. 1-ply
1 no. 1-ply



Weight: 66 kg/ply (+ 11 kg external)

1:50

T27 1-5	2 no.	45 x 95
	4107	C24
	4107	4107
	4107	4200
B7 6-9	2 no.	45 x 195
	3539	C24
	3539	3539
	3539	3600
C4 10-11	2 no.	45 x 120
	3539	C24
	3539	3539
	3539	3600
E1 6-s1, 9-s2	4 no.	45 x 145
	3034	C24
	3034	3034
	3034	3100
E5 s1-2, s2-4	4 no.	45 x 120
	626	C24
	626	626
	626	650
W1 2-12	2 no.	45 x 70
	1846	C24
	1939	1939
	1846	2000
W2 4-12	2 no.	45 x 70
	1833	C24
	1925	1925
	1833	1950
W3 3-12	2 no.	45 x 70
	799	C24
	799	799
	799	850


FASTENER LOCATION TOLERANCE: 8 mm

T5 - 2 no.

Weight: 66 kg/ply (+ 11 kg external)

557-8-ply	2 no.	45 x 195
1 no. 1-ply	2400	C24
	2400	2400
	2400	2450

T5



S5

Smooth nail 2.8 x 75

45 x 195 C24 - 2400 mm

Single - front

5 no.

2 no.

7 no.

5 no.



S5

Square nail 2.5 x 65

45 x 195 C24 - 2400 mm

Single - front

6 no.

4 no.


8 no.

6 no.



T6

a - 1 no. 1-ply
b - 1 no. 1-ply



Weight: 95 kg/ply (+ 14 kg external)

1:90

T8 1-s1, 7-s2	4 no.	45 x 145
	3410	C24
	3483	3555
	3555	3600

T24 s1-4, s2-4	4 no.	45 x 120
	2594	C24
	2534	2594
	2474	2650


B4 s3-13, 8-s3	4 no.	45 x 195
	4101	C24
	4101	4101
	4101	4200

C3 3-5	2 no.	45 x 120
	3464	C24
	3584	3704
	3704	3900


R2 2-9, 6-12	4 no.	45 x 120
	1439	C24
	1379	1439
	1319	1500

E2 8-1, 13-7	4 no.	45 x 145
	373	C24
	445	518
	518	550


S2 10-11	2 no.	45 x 195
	3121	C24
	3121	3121
	3121	3150




MiTopW 60x150 30%




MiTopW 168x250 91%




GNT150S-K 84x221 47%




GNT150S-K 84x221 39%




MiTopW 144x200 26%




MiTopW 108x200 95/97%




MiTopW 60x150 33%



MiTopW 108x200 89/50%




GNT100S 103x159 82%



MiTopW 168x250 97%

T6



S2

Smooth nail 2.8 x 75 45 x 195 C24 - 3121 mm

Single - front

2 no. 2 no. 4 no. 4 no. 7 no.



42 993 1944 2511 3079

S2

Square nail 2.5 x 65 45 x 195 C24 - 3121 mm

Single - front

4 no. 4 no. 5 no. 6 no. 9 no.




42 993 1944 2511 3079

R1.1 - 1 no.

Weight: 13 kg/ply


1:20

T1 1-2



1 no.	45 x 195
2870	C24
2870	2870
2870	2900

22.5°
22.5° ±13




R1.2 - 1 no.

Weight: 13 kg/ply


1:20

T1 1-2

1 no.	45 x 195
2870	C24
2870	2870
2870	2900




R2 - 1 no.



Weight: 13 kg/ply

1:30

T2 1-2





1 no.	45 x 170
3586	C24
3586	3706
3586	3900

R3 - 1 no.

Weight: 11 kg/ply 1:20

T9 1-2	1 no.	45 x 145
	3306	C24
	3306	3451
	3306	3600





R4 - 2 no.

Weight: 8 kg/ply

1:20

T10 1-2

2 no.	45 x 145
2412	C24
2412	2557
2412	2600





R5 - 2 no.

Weight: 5 kg/ply

1:15

T15 1-2

2 no.	45 x 145
1564	C24
1564	1709
1564	1750





R6 - 2 no.

Weight: 3 kg/ply


1:10

T21 1-2

2 no.	45 x 145
715	C24
715	860
715	900




R7 - 1 no.



Weight: 11 kg/ply

1:30

T9/ 1-2




1 no.	45 x 145
3306	C24
3306	3451
3306	3600

R8 - 6 no.


Weight: 11 kg/ply

1:20




T18 1-3, 5-3 	12 no. 45 x 145 1479 C24 1479 1624 1479 1650
--	--

B12 2-4		6 no.	45 x 145
		69	C24
		214	359
		359	400



R9 - 2 no.


1 no. 1-ply
1 no. 1-ply



Weight: 7 kg/ply


1:15

T13 1-2




1 no.	45 x 145
2025	C24
2025	2170
2025	2200

T13/ 1-2





1 no.	45 x 145
2025	C24
2025	2170
2025	2200


R10 - 2 no.
1 no. 1-ply
1 no. 1-ply





Weight: 4 kg/ply 1:10

T20 1-2		1 no.	45 x 145
		1177	C24
		1177	1322
		1177	1350
T20/ 1-2		1 no.	45 x 145
		1177	C24
		1177	1322
		1177	1350


R11 - 2 no.
1 no. 1-ply
1 no. 1-ply



Weight: 4 kg/ply 1:15



T19 1-2		1 no.	45 x 145
		1279	C24
		1279	1424
		1279	1450
T19/ 1-2		1 no.	45 x 145
		1279	C24
		1279	1424
		1279	1450

R12 - 2 no.
1 no. 1-ply
1 no. 1-ply




Weight: 7 kg/ply

1:15

T12 1-2		1 no.	45 x 145
		2127	C24
		2127	2272
		2127	2300
T12/ 1-2		1 no.	45 x 145
		2127	C24
		2127	2272
		2127	2300


R13 - 1 no.



Weight: 13 kg/ply


1:30

T4 1-2



1 no.	45 x 170
3544	C24
3544	3664
3544	3900


R14 - 1 no.



Weight: 13 kg/ply


1:30

T5 1-2



1 no.	45 x 170
3536	C24
3536	3656
3536	3900


R15 - 1 no.



Weight: 13 kg/ply

1:30

T3 1-2



1 no.	45 x 170
3578	C24
3578	3698
3578	3900



R16 - 1 no.

Weight: 11 kg/ply

1:20

T9/ 1-2

1 no.	45 x 145
3306	C24
3306	3451
3306	3600





R17 - 2 no.

Weight: 8 kg/ply

1:20

T11 1-2

2 no.	45 x 145
2412	C24
2412	2557
2412	2600





R18 - 1 no.

Weight: 11 kg/ply

1:30

T9 1-2

1 no.	45 x 145
3306	C24
3306	3451
3306	3600





R19 - 2 no.

Weight: 5 kg/ply

1:15

T16 1-2

2 no.	45 x 145
1564	C24
1564	1709
1564	1750





R20 - 2 no.

Weight: 3 kg/ply

1:10

T22 1-2

2 no.	45 x 145
715	C24
715	860
715	900




MB1 - 4 no.

- 1 no. 1-ply
- 2 no. 1-ply
- 1 no. 1-ply

Weight: 8 kg/ply 1:15

B9 1-2		4 no.	45 x 195
		1805	C24
		1805	1805
		1805	1850



MB2 - 14 no.


6 no. 2-ply
1 no. 2-ply

Weight: 17 kg/ply

1:25

B5 1-2

14 no.	45 x 195
3829	C24
3829	3829
3829	3900



MB3 - 3 no.

- 1 no. 1-ply
- 2 no. 1-ply

Weight: 4 kg/ply 1:10

B11 1-2		3 no.	45 x 195
		802	C24
		802	802
		802	850

